
Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

Cagrilintide/Semaglutide 5 mg/5 mg

Report To:
Infinity Research Group

Compound: Cagrilintide/Semaglutide
Amount: 5 mg/5 mg
Laboratory ID: V260602-14 001
Lot Number: 260527CS53
Date Released: 6/21/2026



Analysis	Method	Result
Chromatographic Purity	HPLC-UV/VIS	99.38% + 0.18%
Assay: Cagrilintide	HPLC-UV/VIS	4.75 mg
Assay: Semaglutide	HPLC-UV/VIS	5.09 mg



ISO 17025:2017 ACCREDITED LABORATORY

Report By: Dustin Newman, Laboratory Director on 6/21/2026

Approved By: Tori Johnson, Operations Manager on 6/21/2026

Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.

Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

Cagrilintide/Semaglutide 5 mg/5 mg

Report To:
Certified Peptides

Compound: Cagrilintide/Semaglutide
Amount: 5 mg/5 mg
Laboratory ID: V260602-14 001
Lot Number: 260527CS53
Date Released: 6/21/2026

Analyte	Method	LOQ (ppm)	Result (ppm)
Arsenic (As)	ICP-MS	0.01	ND
Cadmium (Cd)	ICP-MS	0.01	ND
Lead (Pb)	ICP-MS	0.01	ND
Mercury (Hg)	ICP-MS	0.005	ND

Run ID: 260604

Analysis	Method	Result
Endotoxins	LAL	Pass - <5.00 EU/mg*
Sterility	USP <71>	Pass - No Growth Detected

*Pass/Fail criteria based on the USP/FDA threshold of 5 EU/kg (350 EU total for a 70 kg adult)

Report By: Dustin Newman, Laboratory Director on 6/21/2026

Approved By: Tori Johnson, Operations Manager on 6/21/2026

ND: Non-Detect
LOD: Limit of Quantification

ISO 17025:2017 ACCREDITED LABORATORY

Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.