
Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis


NAD+ 500 mg

Report To:
Infinity Research Group

Compound: NAD+
Quantity: 500 mg
Laboratory ID: V260727-39 001
Lot Number: NA50071126
Date Reported: 8/12/2026



Analysis	Method	Result
Identity	HPLC-UV/VIS	Pass - Matches Ref. Standard
Chromatographic Purity (Total)	HPLC-UV/VIS	>99.80% ± 0.18%
Chromatographic Purity (NAD+)	HPLC-UV/VIS	96.95% ± 0.18%
Chromatographic Purity (Nicotinamide)	HPLC-UV/VIS	3.05% ± 0.18%
Quantity: NAD+	HPLC-UV/VIS	700 mg



Report By: Dustin Newman, Laboratory Director on 8/12/2026

Approved By: Tori Johnson, Operations Manager on 8/12/2026

ISO 17025:2017 ACCREDITED LABORATORY

Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.

Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

NAD+ 500 mg

Report To:
Certified Peptides

Compound: NAD+
Quantity: 500 mg
Laboratory ID: V260727-39 001
Lot Number: NA50071126
Date Reported: 7/31/2026

Analyte	Method	LOQ (ppm)	Result (ppm)
Arsenic (As)	ICP-MS	0.01	ND
Cadmium (Cd)	ICP-MS	0.01	ND
Lead (Pb)	ICP-MS	0.01	ND
Mercury (Hg)	ICP-MS	0.005	ND

Run ID: 260729.2

Analysis	Method	Result
Endotoxins	LAL	Pass - <5.00 EU/mg*
Sterility	USP <71>	Pass - No Growth Detected

*Pass/Fail criteria based on the USP/FDA threshold of 5 EU/kg (350 EU total for a 70 kg adult)

Report By: Dustin Newman, Laboratory Director on 7/31/2026

Approved By: Tori Johnson, Operations Manager on 7/31/2026

ISO 17025:2017 ACCREDITED LABORATORY

Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.